

Benign Conditions

What is the primary condition?

- Aneurysmal Bone Cyst
- □ Angiofibroma of Nasopharynx (Juvenile Nasopharyngeal Angiofibroma)
- □ Castleman's Disease
- □ Desmoid Tumor
- Dupuytren's Contracture
- □ Extramedullary Hematopoiesis
- Giant Cell Tumor of Bone (Osteoclastoma)
- □ Graves' Ophthalmopathy
- □ Gynecomastia
- □ Hemangiomas
- □ Heterotopic Ossification
- □ Keloid Scar
- □ Langerhans Cell Histiocytosis (Eosinophilic Granuloma)
- □ Lethal Midline Granuloma (Stewards Disease)
- □ Lymphangiomas
- □ Neurofibromas (Benign, von Recklinhausen)
- □ Orbital Myositis
- Orbital Pseudotumor
- □ Paraganglioma
- Plantar Fasciitis
- Rosai Dorfman Disease
- □ Other

Has the patient previously received radiation therapy to the same or an immediately adjacent

area?

- □ Yes
- □ No
- □ Unknown



Breast Cancer

Which side is the breast cancer on?

- □ Left side
- □ Right side
- □ Bilateral

What is the intent of therapy?

- □ Adjuvant/Post-Operative
- □ Palliative (non-curative) or Other

Has the patient had surgery, and if so, what type?

- □ Patient has not had surgery
- □ Mastectomy
- □ Lumpectomy

What is the T (Tumor) stage?

- □ Tis (in Situ)
- □ T1
- □ T2
- □ T3
- □ T4
- □ Tx/Unknown

What is the N (Node) stage?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1mic
- □ N1
- □ N2
- □ N3
- □ Nx/Unknown

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown



Based on the latest clinical records, does the patient have distant metastatic disease (e.g. cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- □ Unknown/Not Applicable

What is the treatment site?

- □ Chest Wall
- □ Chest Wall + Supraclavicular nodes
- □ Chest Wall + Supraclavicular nodes + Internal mammary nodes
- □ Whole Breast
- □ Whole Breast + Supraclavicular nodes
- □ Whole Breast + Supraclavicular nodes + Internal mammary nodes
- □ Partial Breast

Has the patient previously received radiation therapy to the same or an immediately adjacent

area?

- □ Yes
- □ No
- □ Unknown

Does the patient have a connective tissue disorder, such as lupus or scleroderma?

- □ Yes
- □ No
- Unknown/Not Applicable



Central Nervous System (CNS) Tumors

Select the cancer/tumor type:

- □ Glioma
- □ Acoustic Neuroma
- □ Arteriovenous Malformations (AVMs)
- □ Craniopharyngioma
- □ Glomus Jugulare Tumor
- □ Meningiomas
- Pituitary Adenoma
- Uveal Melanoma
- □ Pineal Gland Tumor
- □ Hemangiomas
- □ Trigeminal Neuralgia
- □ Spinal Cord Tumors
- □ Ependymoma
- □ Medulloblastoma

Based on the latest clinical records, does the patient have distant metastatic disease (e.g.

cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- □ Unknown/Not Applicable

What is the intent of therapy?

- □ Pre/Post-Operative (curative with surgery)
- Definitive (curative without surgery)
- □ Palliative (non-curative) or Other

Is the patient's trigeminal neuralgia refractory to medical therapy (i.e. not responding to conventional drug therapy)? Note: If the patient does **not** have trigeminal neuralgia, please select Unknown/Not Applicable.

- □ Yes
- □ No
- Unknown/Not Applicable



- □ Yes
- 🗆 No
- □ Unknown



Colorectal Cancers (Including Anal)

What is the primary cancer type?

- □ Anal
- Rectal
- □ Colon

What is the T (Tumor) stage?

- □ T1
- □ T2
- □ T3
- □ T4
- □ Tx/Unknown

What is the N (Node) stage?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1
- □ N2
- □ N3
- □ Nx/Unknown

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown

Based on the latest clinical records, does the patient have distant metastatic disease (e.g.

cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- Unknown/Not Applicable

What is the intent of therapy?

- □ Pre/Post-Operative (curative with surgery)
- Definitive (curative without surgery)
- □ Palliative (non-curative) or Other



- □ Yes
- 🗆 No
- □ Unknown



Genitourinary Cancers

What is the primary cancer type?

- □ Adrenal Gland
- □ Kidney
- □ Ureter
- □ Bladder
- Urethra
- Penis
- □ Testicle

What is the T (Tumor) stage?

- 🗆 T1
- □ T2
- □ T3
- □ T4
- □ Tx/Unknown

What is the N (Node) stage?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1
- □ N2
- □ N3
- □ Nx/Unknown

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown

Based on the latest clinical records, does the patient have distant metastatic disease (e.g.

cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- □ Unknown/Not Applicable



What is the intent of therapy?

- □ Pre/Post-Operative (curative with surgery)
- □ Definitive (curative without surgery)
- □ Palliative (non-curative) or Other

- □ Yes
- □ No
- □ Unknown



Gynecologic Cancers (Including Endometrium)

What is the primary cancer site?

- □ Uterus
- □ Cervix
- U Vulva
- □ Vagina
- □ Ovary/Fallopian Tube

What is the uterine cancer type? Note: If the patient does **not** have uterine cancer, please select

N/A.

- Endometrial Carcinoma
- □ Carcinosarcoma
- □ Sarcoma
- □ Uterine cancer: Other
- □ N/A

What is the T (Tumor) stage?

- □ T1
- □ T2
- □ T3
- □ T4
- □ Tx/Unknown

What is the N (Node) stage?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1
- □ N2
- □ N3
- □ Nx/Unknown

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown



Based on the latest clinical records, does the patient have distant metastatic disease (e.g. cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- □ Unknown/Not Applicable

What is the patient's TNM group stage or FIGO stage?

- \Box IVA
- □ IVB
- □ Unknown/Not Applicable

What is the intent of therapy?

- □ Pre/Post-Operative (curative with surgery)
- Definitive (curative without surgery)
- □ Palliative (non-curative) or Other

- □ Yes
- □ No
- □ Unknown



Head and Neck Cancers

What is the head and neck site being treated?

- Oral Cavity (lip, buccal mucosa, alveolar ridge, retromolar trigone, floor of mouth, hard palate, oral tongue, other)
- □ Oropharynx (base of tongue, tonsil, soft palate, pharyngeal wall, other)
- □ Nasopharynx
- □ Hypopharynx
- □ Larynx (supraglottis, glottis, subglottis)
- Salivary Gland Tumors
- □ Nasal Cavity
- □ Para-Nasal Sinus
- □ Skull base: Chondrosarcoma or Chordoma
- □ Skull base: Other
- □ Thyroid
- □ Unknown Primary of Head and Neck

What is the T (Tumor) stage?

- □ Tis (in situ)
- □ T1
- □ T2
- □ T3
- □ T4
- □ Tx/Unknown

What is the N (Node) stage?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1
- □ N2
- □ N3
- □ Nx/Unknown

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown



Based on the latest clinical records, does the patient have distant metastatic disease (e.g. cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- □ Unknown/Not Applicable

What is the intent of therapy?

- □ Pre/Post-Operative (curative with surgery)
- Definitive (curative without surgery)
- D Palliative (non-curative) or Other

- □ Yes
- □ No
- □ Unknown



Lung Cancer

What is the lung cancer type?

- □ Non-Small Cell Carcinoma
- □ Small Cell
- □ Carcinoid Tumor

Has a biopsy been done?

- □ Yes
- □ No

What is the T (Tumor) stage?

- 🗆 T1
- □ T2
- □ T3
- □ T4
- □ Tx/Unknown

What is the N (Node) stage?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1
- □ N2
- □ N3
- □ Nx/Unknown

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown

Based on the latest clinical records, does the patient have distant metastatic disease (e.g.

cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- □ Unknown/Not Applicable



What is the cancer stage?

- □ IIA
- □ IIB
- \Box IV
- □ Limited
- □ Extensive
- □ Unknown

What is the intent of therapy?

- □ Pre/Post-Operative (curative with surgery)
- Definitive (curative without surgery)
- □ Palliative (non-curative) or Other

Is the patient a surgical candidate?

- □ Yes
- □ No
- □ N/A

Has the patient refused surgery?

- □ Yes
- □ No
- □ N/A

What is the tumor size?

- □ <= 5 cm
- \square > 5 cm
- □ N/A

Has the patient previously received radiation therapy to the same or an immediately adjacent

area?

- □ Yes
- □ No
- □ Unknown

Leukemia, Lymphoma, Multiple Myeloma, Plasmacytoma Cancers

What is the type of cancer?

- □ Lymphoma
- □ Plasmacytoma (Solitary)
- □ Multiple Myeloma
- □ Leukemia

What is the type of Lymphoma? Note: If the patient does **not** have lymphoma, please select N/A.

- Hodgkin's Lymphoma
- □ Non-Hodgkin's Lymphoma: Diffuse Large B-Cell
- □ Non-Hodgkin's Lymphoma: Follicular
- □ Non-Hodgkin's Lymphoma: Mantle Cell
- □ Non-Hodgkin's Lymphoma: MALT Lymphoma
- □ Cutaneous Lymphoma
- □ Lymphoma: Other
- □ N/A

What is the Lymphoma stage? Note: If the patient does **not** have lymphoma, please select N/A.

- \Box IV
- □ N/A

What is the intent of therapy?

- Dest-Chemotherapy (curative after chemotherapy)
- Definitive (curative without chemotherapy)
- □ Palliative (non-curative) or Other

Optum

What is the treatment site?

- □ Mediastinum
- □ Head and Neck
- □ Central Nervous System
- □ Total Body Irradiation
- □ Other

What is the head & neck treatment site? Note: If the treatment site selected is not head & neck,

please select N/A.

- D Pharynx (nasopharynx, oropharynx, and hypopharynx)
- □ Larynx
- Paranasal sinus
- □ Nasal cavity
- □ Oral cavity
- □ Salivary gland
- □ Neck
- □ Other head and neck site
- □ N/A

Has the patient previously received radiation therapy to the same or an immediately adjacent

area?

- □ Yes
- □ No
- □ Unknown



"Other" Cancer or Condition

Please input the primary cancer or condition type: ____ (Free Text Field) _____

What is the intent of therapy?

- □ Pre/Post-Operative (curative with surgery)
- Definitive (curative without surgery)
- □ Palliative (non-curative) or Other

What is the T (Tumor) stage, if applicable?

- □ T1
- □ T2
- □ Т3
- □ T4
- □ Tx/Unknown
- □ N/A

What is the N (Node) stage, if applicable?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1
- □ N2
- □ N3
- □ Nx/Unknown
- □ N/A

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown

Based on the latest clinical records, does the patient have distant metastatic disease (e.g.

cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- □ Unknown/Not Applicable

- □ Yes
- □ No
- □ Unknown



Prostate Cancer

Select the cancer type:

- □ Adenocarcinoma
- □ Small Cell
- □ Other

Has the patient had a prostatectomy?

- □ Yes
- □ No

What is the T (Tumor) stage?

- 🗆 T1
- □ T2a
- □ T2b
- □ T2c
- □ Т3
- □ T4
- □ Small Cell/Other: T2
- □ Tx/Unknown

What is the N (Node) stage?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1
- □ Small Cell/Other: N2
- □ Small Cell/Other: N3
- □ Nx/Unknown

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown

Based on the latest clinical records, does the patient have distant metastatic disease (e.g. cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- □ Unknown/Not Applicable

Optum

What is the PSA level?

- □ <= 10.0 ng/ml
- □ 10.0 < 20.0 ng/ml
- □ >= 20.0 ng/ml
- □ N/A

What is the highest Gleason Score (range: 6-10)?

- □ 6
- □ 7
- □ 8
- □ 9
- □ 10
- □ Unknown/Not Applicable

What is the patient's risk group?

- □ Low Risk (PSA <= 10.0, Gleason Score = 6, T1- T2a)
- □ Intermediate Risk (PSA > 10.0 < 20.0, Gleason = 7, T2b-T2c)
- □ High Risk (PSA >= 20.0, Gleason = 8- 10, T3 or higher)
- □ N/A

What is the intent of therapy?

- Dest-Operative/Adjuvant/Salvage
- Definitive/Initial Treatment
- D Palliative (non-curative) or Other

Please select the treatment site:

- □ Prostate only
- □ Prostate + pelvic lymph nodes
- □ Prostate fossa/Prostate bed
- □ Prostate fossa/Prostate bed + pelvic lymph nodes

Has the patient previously received radiation therapy to the same or an immediately adjacent

area?

- □ Yes
- □ No
- □ Unknown



Does the patient have a history of inflammatory bowel disease, such as ulcerative colitis or Crohn's disease?

- □ Yes
- □ No
- □ Unknown/Not Applicable



Soft Tissue Sarcomas

What is the primary treatment site?

- □ Head and Neck
- □ Chest
- □ Abdomen
- Pelvis
- □ Extremity

What is the T (Tumor) stage?

- □ T1
- □ T2
- □ T3
- □ T4
- □ Tx/Unknown

What is the N (Node) stage?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1
- □ N2
- □ N3
- □ Nx/Unknown

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown

Based on the latest clinical records, does the patient have distant metastatic disease (e.g.

cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- 🗆 No
- □ Unknown/Not Applicable



What is the intent of therapy?

- □ Pre/Post-Operative (curative with surgery)
- □ Definitive (curative without surgery)
- □ Palliative (non-curative) or Other

- □ Yes
- □ No
- □ Unknown



Secondary Metastatic Disease: Bone / Extra-Cranial / Other

What is the primary tumor type?

- □ Colorectal
- □ Non-small cell lung
- □ Melanoma
- □ Prostate
- □ Renal cell
- □ Sarcoma
- □ Breast
- □ Esophageal
- □ Head and neck
- □ Gastric
- □ Pancreas
- □ Hepatobiliary
- □ Small cell carcinoma
- □ Other

What is the patient's estimated life expectancy?

- □ <6 months
- \Box >=6 months
- □ Unknown

What is the treatment site?

- □ Bone
- □ Liver
- □ Bladder
- □ Lung
- □ Other



Which of the following criteria, if any, does the patient meet for the treatment of bone metastasis? Note: If the extra-cranial treatment site is **not** bone, please select N/A.

- □ Radiation therapy will include treatment of a weight bearing bone, such as femur
- Radiation therapy will include treatment of a bone that has previously undergone surgical stabilization
- □ Radiation therapy will include treatment of spinal cord compression
- D Patient does not meet any of above criteria
- □ N/A

- □ Yes
- □ No
- □ Unknown



Secondary Metastatic Disease: Brain Metastasis

What is the requested treatment for brain metastasis?

- □ Whole brain (External Beam Radiation Therapy)
- □ Partial brain (Stereotactic Radiation Therapy: SRS/SBRT)

Has the patient received previous whole brain radiation therapy?

- □ Yes
- □ No

Has the patient received previous stereotactic radiation therapy (SRS/SBRT) for brain metastasis?

- □ Yes
- □ No

What is the patient's estimated life expectancy?

- □ <6 months
- \Box >=6 months
- □ Unknown

What is the patient's performance status?

- □ KPS score of >= 70% or ECOG performance status of 0-2
- □ KPS score of <70% or ECOG performance status of >2 (limited self-care/disabled)
- □ Unknown

Does the patient have leptomeningeal disease (i.e. spread to cerebrospinal fluid CSF)?

- □ Yes
- 🗆 No
- □ Unknown



What is the primary tumor type?

- □ Colorectal
- □ Non-small cell lung cancer
- □ Melanoma
- □ Prostate
- □ Renal cell
- □ Sarcoma
- □ Breast
- □ Esophageal
- □ Head and neck
- □ Gastric
- □ Pancreas
- □ Hepatobiliary
- □ Small cell carcinoma
- □ Germ cell tumor
- □ Lymphoma
- □ Other

What is the status of the extra-cranial disease in the past two months?

- □ Stable
- □ Progression
- □ Unknown

How many metastatic brain lesions does the patient have?

- □ 1-5
- □ 6-10
- □ 11 or more
- □ Unknown



Secondary Metastatic Disease: Oligometastasis

What is the primary tumor type?

- □ Colorectal
- □ Non-small cell lung
- □ Melanoma
- □ Prostate
- □ Renal cell
- □ Sarcoma
- □ Breast
- □ Esophageal
- □ Head and neck
- □ Gastric
- □ Pancreas
- □ Hepatobiliary
- □ Small cell carcinoma
- □ Other

What is the patient's estimated life expectancy?

- □ <6 months
- \Box >=6 months
- □ Unknown

What is the patient's performance status?

- \Box KPS score of >= 70% or ECOG performance status of 0-2
- □ KPS score of <70% or ECOG performance status of >2
- □ Unknown

Has the patient received definitive (curative) treatment to the primary tumor?

- □ Yes
- □ No
- □ Unknown

Is the primary tumor controlled? Note: A controlled primary tumor is defined as at least 3 months since original tumor was treated definitively, with no progression at primary site.

- □ Yes
- □ No
- □ Unknown

Optum

Does the patient have any of the following diagnoses?

- Pleural Effusion
- □ Leptomeningeal Disease
- Peritoneal Carcinomatosis
- □ None of the above/Unknown

Does the patient have a previous history of metastatic disease?

- □ Yes
- □ No
- □ Unknown

Has the patient received prior local therapy (such as SBRT/SRS, RFA, cryoablation, or surgery) for metastatic disease?

- □ Yes
- □ No
- □ Unknown

How many metastatic lesions does the patient have? Note: If the patient has a history of metastatic disease and has received prior local therapy, please include the previously treated lesions in the total lesion count.

- □ 1
- □ 2
- □ 3
- □ >3
- □ Unknown

What is the size of the largest lesion?

- □ <=5 cm
- □ >5 cm
- □ Unknown

Has the patient previously received radiation therapy to the same or an immediately adjacent

area?

- □ Yes
- □ No
- □ Unknown



Skin Cancer

What is the histology?

- □ Melanoma
- □ Squamous Cell Carcinoma
- Basal Cell Carcinoma
- Merkel Cell Carcinoma

What is the T (Tumor) stage?

- □ Tis (in Situ)
- 🗆 T1
- □ T2
- □ T3
- □ T4
- □ Tx/Unknown

What is the N (Node) stage?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1
- □ N2
- □ N3
- □ Nx/Unknown

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown

Based on the latest clinical records, does the patient have distant metastatic disease (e.g.

cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- □ Unknown/Not Applicable

What is the intent of therapy? QC: Intent

- □ Pre/Post-Operative (curative with surgery)
- Definitive (curative without surgery)
- □ Palliative (non-curative) or Other



- □ Yes
- 🗆 No
- □ Unknown



Thoracic Cancers (Excluding Lung)

Select the tumor type:

- □ Mesothelioma
- □ Thymoma/Thymic Carcinoma
- □ Tracheal Cancer

What is the modified Masaoka staging of the thymoma/thymic carcinoma? Note: If the patient does **not** have thymoma/thymic carcinoma, please select N/A.

- □ 1
- □ 2
- □ 3
- □ 4A
- □ 4B
- □ N/A

What is the T (Tumor) stage?

- □ T1
- □ T2
- □ T3
- □ T4
- □ Tx/Unknown

What is the N (Node) stage?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1
- □ N2
- □ N3
- □ Nx/Unknown

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown



Based on the latest clinical records, does the patient have distant metastatic disease (e.g. cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- □ Unknown/Not Applicable

What is the intent of therapy?

- □ Pre/Post-Operative (curative with surgery)
- Definitive (curative without surgery)
- □ Palliative (non-curative) or Other

- □ Yes
- □ No
- □ Unknown



Upper Gastrointestinal Cancers (Including Esophagus, Pancreas, and Liver)

What is the primary cancer site?

- □ Esophagus (Including GE Junction)
- □ Stomach (Non-Lymphoma)
- □ Hepatobiliary
- □ Small Bowel
- □ Pancreas

What is the type of hepatobiliary cancer? Note: If the patient does not have hepatobiliary

cancer, please select N/A.

- □ Hepatocellular Carcinoma
- □ Cholangiocarcinoma Intra-Hepatic
- □ Cholangiocarcinoma Extra-Hepatic
- □ Gall Bladder Cancer
- □ Hepatobiliary: Other
- □ N/A

What is the T (Tumor) stage?

- □ T1
- □ T2
- □ T3
- □ T4
- □ Tx/Unknown

What is the N (Node) stage?

- □ N0 (cancer has not spread to lymph nodes)
- □ N1
- □ N2
- □ N3
- □ Nx/Unknown

What is the M (Metastasis) stage?

- □ M0
- □ M1
- □ Mx/Unknown



Based on the latest clinical records, does the patient have distant metastatic disease (e.g. cancer has spread to the brain, lung, liver, bone and/or other site)?

- □ Yes
- □ No
- □ Unknown/Not Applicable

What is the intent of therapy?

- □ Pre/Post-Operative (curative with surgery)
- Definitive/Unresectable (curative without surgery)
- □ Palliative (non-curative) or Other

- □ Yes
- □ No
- □ Unknown